



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/799,491	03/12/2004	David C. Hovda	S-09-5	8367

7590 11/05/2007
ARTHROCARE CORPORATION
7500 Rialto Boulevard
Building Two, Suite 100
Austin, TX 78735-8532

EXAMINER

COHEN, LEE S

ART UNIT	PAPER NUMBER
----------	--------------

3739

NOTIFICATION DATE	DELIVERY MODE
-------------------	---------------

11/05/2007

ELECTRONIC

NOTICE OF DRAWING INCONSISTENCY WITH SPECIFICATION

03-12-04

The drawings filed 09-19-06⁺ have been received. However, an inconsistency exists between the drawings and the Brief Description of the Drawings in the specification.

Figures 27 C are listed in the Brief Description of the Drawings in the specification but not contained in the Drawings.

Figures _____ are contained in the Drawings but not listed in the Brief Description of the Drawings in the specification.

Applicant is required to correct the above-noted inconsistency within a time period of **ONE MONTH or THIRTY (30) DAYS, whichever is longer**, from the mailing date of this Notice, or within the time remaining in the time period set forth in the Notice of Allowability (Form PTOL-37) to file corrected drawings, whichever is longer. **NO EXTENSION OF THIS TIME PERIOD MAY BE GRANTED UNDER EITHER 37 CFR 1.136 (a) OR (b).**

Failure to correct the above noted inconsistency will result in abandonment of the application.

The file will be held in the Publishing Division to await the correction of the inconsistency.

Return Corrected Drawings/Specification to:

Mail Stop Issue Fee
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Office of Patent Publication/Publishing Division
Customer Service: 703-308-6789
1-888-786-0101